

# product\_datasheet\_title

## HALOPIN PRO 35 W 230 V G9

HALOPIN® PRO | Halogen lamps with G9 base




## technical\_data

## ELECTRICAL DATA

Nominal wattage	35 W
Construction wattage	35.00 W
Nominal voltage	230 V
Claimed equiv. conventional lamp power	40 W

## PHOTOMETRICAL DATA

Luminous flux	460 lm
Luminous efficacy	13 lm/W
Light color (designation)	Warm White
Color temperature	2800 K
Color rendering index Ra	100
Light color	1028



349631\_HAL\_HV\_UVS

## LIGHT TECHNICAL DATA

Starting time	0.0 s
---------------	-------

## DIMENSIONS &amp; WEIGHT

Overall length	43.00 mm
Light center length (LCL)	22,0 mm
Diameter	14,0 mm
Product weight	2.9 g

## LIFESPAN

Number of switching cycles	50000
----------------------------	-------

## ADDITIONAL PRODUCT DATA

Base (standard designation)	G9
Mercury-free	Yes
Design / version	Tube

## CAPABILITIES

Dimmable	yes
Burning position	Any

## CERTIFICATES & STANDARDS

Energy efficiency class	G
Energy consumption	35.00 kWh/1000h


## COUNTRY-SPECIFIC CATEGORIZATIONS

ILCOS	HSGST/C/UB-33-230-G9-22
Order reference	66733 ECO


## Energy labelling regulation data

Lighting technology used	OTHER
Non-directional or directional	NDLS
Mains or non-mains	MLS
Light source cap-type (or other electric interface)	G9
Connected light source (CLS)	no
Color-tuneable light source	no
Envelope	No
High luminance light source	no
Anti-glare shield	no
Correlated colour temperature type	SINGLE_VALUE
Claim of equivalent power	No
Length	43.00 mm
Height	14,0 mm
Width	14,0 mm
Chromaticity coordinate x	0.452
Chromaticity coordinate y	0.409
Beam angle correspondence	SPHERE_360
EPREL ID	1498551,714427
Model number	AC35305,A52042A

## download\_data

Documents and certificates		document_name
	Declarations Of Conformity CE	HAL G9

---

Photometric and lighting design files		document_name
	Spectral power distribution	349631_HAL_HV_UVS

## logistical\_data

product_code	packaging_unit	dimensions	weight	volume
4008321208668	Folding box 1	70 mm x 23 mm x 25 mm	6.29 g	0.04 dm <sup>3</sup>
4052899262539	Bundle 10			
4058075308152	Bundle 2	23 mm x 50 mm x 70 mm	10.00 g	0.08 dm <sup>3</sup>
4008321208675	Shipping box 20	144 mm x 64 mm x 118 mm	136.00 g	1.09 dm <sup>3</sup>
4052899262546	Shipping box 200	485 mm x 137 mm x 154 mm	1202.00 g	10.23 dm <sup>3</sup>
4058075308169	Shipping box 16	192 mm x 59 mm x 80 mm	122.00 g	0.91 dm <sup>3</sup>
4058075308176	Shipping box 192	366 mm x 201 mm x 176 mm	1630.00 g	12.95 dm <sup>3</sup>

logistical\_data\_text

## disclaimer\_title

disclaimer\_text